



Retained trees to be protected through duration of project in accordance with BS5837:2012 (RPA indicated) As included within Arboricultural Method Statement (AMS)

Existing vegetation requiring pruning or crown lifting works to facilitate access. Works within RPA of tree to be undertaken under supervision of project arboriculturalist and in accordance with AMS

Existing grassland to be protected and retained. Where appropriate proposed grassland to be graded into existing levels

Natural stone clad flood defence wall

Natural stone clad flood defence wall with wall mounted 3m length glass panels and transition posts at level changes

Crushed and compacted limestone '6mm to dust' footpath - 2m wide with 38x150mm timber edge (Surface finish subject to agreement with SLDC)

Bespoke timber seat utilising timber from trees removed to facilitate the works

Sculpture utilising reclaimed timber. Foundation and finish to sculpture to artists specification.

Grass seeding and turf  
(See ENV0000489C-JAC-ZZ-4AG-DR-PL-1417)

Areas of low maintenance species rich grassland - seeded with Emorsgate EG10 to be graded into existing retained grassland (allowing for settlement)

Areas of Amenity grassland to minimum 1m verge to either side of footpath, to tie into existing grass levels (allowing for settlement). Seeded with Germinal Seeds A22 mix.

Areas of proposed species rich grassland (Emorsgate EM10) to be underplanted with native bluebells. (potential to be collected from ground disturbed during works to Aynam Road riverbank)

Planting  
(See ENV0000489C-JAC-ZZ-4AG-DR-PL-1414 & 1417)

Decorative shrub and perennial planting - overall height subject to location. Bed to be crowned to 100mm at centre.

Extra Heavy Standard (EHS) Tree planting with above ground staking. Tree height at planting - c.4m. Root barrier required in proximity to proposed flood defences and existing services. Tree pits as ENV0000489C-JAC-ZZ-4AH-DR-PL-1424

Semi Mature Tree planting with below ground guying. Root barrier required in proximity to proposed flood defences and existing services. Tree pits and below ground staking as ENV0000489C-JAC-ZZ-4AH-DR-PL-1424

Rootbarrier aligned to outer edge of wall foundations and below ground services at locations where trees are proposed within 2metres of works

Proposed drainage outfall - set within lower river wall. Localised reinstatement of disturbed ground levels and vegetation

Key Plan:

1. All levels are shown in meters Above Ordnance Datum (Newlyn) unless stated otherwise.

2. All dimensions are in millimetres unless stated otherwise.

3. For supporting landscape proposals see drawings

ENV0000489C-JAC-ZZ-4AG-DR-PL-1410- Landscape plan North

ENV0000489C-JAC-ZZ-4AG-DR-PL-1413 - Tree planting North

ENV0000489C-JAC-ZZ-4AG-DR-PL-1414 - Tree planting South

ENV0000489C-JAC-ZZ-4AG-DR-PL-1415 - Planting and Seeding Nth

ENV0000489C-JAC-ZZ-4AG-DR-PL-1416 - Planting and Seeding Sth

ENV0000489C-JAC-ZZ-4AG-DR-PL-1417 - Planting plans

ENV0000489C-JAC-ZZ-4AG-DR-PL-1420 - Webster railing

ENV0000489C-JAC-ZZ-4AG-DR-PL-1421 - Coping and Pier detail

ENV0000489C-JAC-ZZ-4AG-DR-PL-1422 - Tree protection plan North

ENV0000489C-JAC-ZZ-4AG-DR-PL-1423 - Tree protection plan Sth

ENV0000489C-JAC-ZZ-4AG-DR-PL-1424 - Soft details

ENV0000489C-JAC-ZZ-4AG-DR-PL-1425 - Hard details

4. For Engineering proposals see drawings -

ENV0000489C-JAC-ZZ-4AG-DR-PL-0102

ENV0000489C-JAC-ZZ-4AG-DR-PL-0103

ENV0000489C-JAC-ZZ-4AG-DR-PL-0206

ENV0000489C-JAC-ZZ-4AG-DR-PL-0207

ENV0000489C-JAC-ZZ-4AG-DR-PL-0208

ENV0000489C-JAC-ZZ-4AG-DR-PL-0209

ENV0000489C-JAC-ZZ-4AG-DR-PL-0210

5. All proposals subject to utility search

6. All imported topsoil to comply with BS3882:2015

7. All plant material to comply with BS3936:1992 Part 1 and BS5236

8. Lifting, handling and delivery will be the responsibility of the contractor and should be carried out in accordance with plant handling specification issued by CPSE

9. All works within RPA to retained trees to be undertaken by hand and with prior approval of project arboriculturalist.

Rev	Rev Date	Purpose of revision	Drawn	Checked	Rev'd	Appr'd
P01	25/08/21	EA Review and Comment	GR	NG	AR	KBT

European Union  
European Regional  
Development Fund

**Jacobs**  
5 First Street, Manchester, M15 4GU  
Tel: +44 (0) 161 235 6000 Fax: +44(0)161 235 6001  
www.jacobs.com

Client  
**Environment Agency**

Project  
**KENDAL FLOOD RISK MANAGEMENT SCHEME 1**

Drawing title  
**Aynam Road Planning Submission  
Reach G (G1)  
Landscape Plan South  
Sheet 2 of 2**

Drawing status  
**S3**

Scale	As Shown	DO NOT SCALE
Jacobs No.	B228P023	Rev
Client no.	ENV0000489C	<b>P01</b>

Drawing number  
**ENV0000489C-JAC-ZZ-4AG-DR-PL-1411**

© Copyright 2021 Jacobs U.K. Limited. The concepts and information contained in this document are the property of Jacobs. Use or copying of this document in whole or in part without the written permission of Jacobs constitutes an infringement of copyright. Limitation: This drawing has been prepared on behalf of, and for the exclusive use of, the Client. Jacobs accepts no liability for, and is not responsible for, any use of, or reliance upon, this drawing by any third party.